

Iranian Polymer Journal
List of Articles (Volume 19, Numbers 1-12, 2010)

Volume 19, Number 1, 2010

- Physico-chemical and Mechanical Characterization of Natural Fibre Reinforced Polymer Composites*
Thakur VK and Singh AS (Singapore & India) 3
- Preparation of Poly(methyl acrylate)/TiO₂ Composites by Potassium Diperiodatoocuprateinitiated Grafting Copolymerization*
Deng K, Ren X, Jiao Y, Tian H, Zhang P, Zhang H, and Liu Y (P.R. China) 17
- The Effective Parameters for Reaction-to-fire Properties of Expanded Polystyrene Foams in Bench Scale*
Bakhtiyari S, Taghi-Akbari L, and Barikani M (Iran) 27
- Study of NBR/PVC/OMMT Nanocomposites Prepared by Mechanical Blending*
Li H, Wang L, Song G, Gu Z, Li P, Zhang C, and Gao L (P.R. China) 39
- Modification of Polyethylene and Incorporation of Al(OH)₃for Improvement of Mechanical Properties, Burning Behaviour and Thermal Stability*
Fuzail M, Shah G, and Anwar J (Pakistan) 47
- Effect of MolecularWeight and UV Illumination on Optical Constants of PMMA Thin Films*
El-Nasser HM and Ali OD (Jordan) 57
- Supramolecular Poly(tetrahydrofuran) Based on a Pyrimidinone Associating Motif*
Shokrollahi P (Iran) 65

Volume 19, Number 2, 2010

- Preparation of Polyethylene Nano-fibres Using Rod-like MCM-41/TiCl₄/MgCl₂/THF Bi-supported Ziegler-Natta Catalytic System*
Nejabat GR, Nekoomanesh M, Arabi H, Emami M, and Aghaei-Nieat M (Iran) 79
- Hygrothermic Behaviour of Carbon/Vinylester, Glass/Vinylester, Carbon/Epoxy and Glass/Epoxy Composites*
Muthirakkal S, Murthy HNRN, Krishna M, Rai KS, and Karippal JJ (India) 89
- Rheological Behaviour and Hydrodynamic Diameter of High Molecular Weight, Partially Hydrolyzed Poly(acrylamide) in High Salinity and Temperature Conditions*
Ramazani Saadatabadi A, Nourani M, and Emadi MA (Iran) 105
- Modification of TiO₂ with Titanate Coupling Agent and Its Impact on the Crystallization Behaviour of Polybutylene Terephthalate*
Li G-J, Fan S, Wang K, Ren X-L, and Mu X-W (P.R. China) 115
- Electrospinning of Polymethyl Methacrylate Nanofibres in Different Solvents*
Qian Y-F, Su Y, Li X-Q, Wang H-S, and He C-L (P.R. China) 123
- Preparation and Swelling Behaviour of Chitosan-g-poly(acrylic acid)/Muscovite Superabsorbent Composites*
Xie Y-T and Wang A-Q (P.R. China) 131
- Quasi-steady State Finite Element Modelling of Polymer Melt Flow in an Intermeshing Co-rotating Twin Screw Extruder*
Sobhani H, Razavi-Nouri M, and Ghoreishy MHR (Iran) 143

Volume 19, Number 3, 2010

<i>Interfacial Instabilities and Mechanical Strength of Three-layer (PP/HDPE/PP) Symmetric Polymer Melts</i> Ranjbaran MM (Iran)	159
<i>Chelating Ion-exchange Properties of Copolymer Resins Derived from p-Cresol, Oxamide and Formaldehyde</i> Singru RN and Gurnule WB (India)	169
<i>Modification of Epoxy Resins with Polyether-g-polysiloxanes</i> Ma S-Q, Liu W-Q, Hu C-H, and Wang Z-F (P.R. China)	185
<i>Properties of Modified Bitumen Obtained from Vacuum Bottom by Adding Recycled Waste Polymers and Natural Bitumen</i> Mortazavi SB, Rasoulzadeh Y, Yousefi AA, and Khavanin A (Iran)	197
<i>Adsorption of Lead Ions on Ground Tyre Rubber Grafted with Maleic Anhydride via Surface-initiated ATRP Polymerization</i> Liu Y, Luo L, Chen G, Xie M, and Xu Z (P.R. China)	207
<i>Preparation and Properties of New UV-curable Naphthyl Epoxy Acrylates</i> Liu H, Lin F, Chen M, and Xu K (P.R. China)	219

Volume 19, Number 4, 2010

<i>Various Comonomer in Acrylonitrile Based Copolymers: Effects on Thermal Behaviour</i> Han N, Zhang X-X, and Wang X-C (P.R. China)	243
<i>Effect of Ammonium Pentaborate on Curing of Aqueous Phenol Formaldehyde Resin</i> Gao W, Cao J-Z, and Li J-Z (P.R. China)	255
<i>Novel Chitosan based pH Sensitive Micro-networks for the Controlled Release of 5-Fluorouracil</i> Krishna Rao KSV, Madhusudana Rao K, Nagendra Kumar PV, and Chung I-D (India & South Korea)	265
<i>Preparation of Phase-change Material Microcapsules with Paraffin or Camel Fat Cores: Application to Fabrics</i> Fallahi E, Barmar M, and Haghigat Kish M (Iran)	277
<i>Regeneration of Polyol by Pentaerythritol-assisted Glycolysis of Flexible Polyurethane Foam Wastes</i> Alavi Nikje MM and Bagheri Garmarudi A (Iran)	287
<i>Processability and Miscibility of Linear Low-density Polyethylene/Poly(vinyl alcohol) Blends: In Situ Compatibilization with Maleic Acid</i> Ismail H, Nordin R, Ahmad Z, and Rashid A (Malaysia)	297
<i>Thiacalix[4]amido-based Netty Polymers: Novel Sorbents for Heavy Metal Cations and Derivatives of Aniline</i> Yang F-F, Huang Z-S, Zhang X-Y, and Guo H-Y (P.R. China)	309

Volume 19, Number 5, 2010

<i>The Effect of Butyl Glycol Acetate/Ethyl Acetate Mixed Solvents Composition on Nitrocellulose Solution Emulsification: The Stability of Resultant Colloid and Micro-filterability</i> Javidnia H, Mohammadi N, Mousavi Shooshtari A, Ghasemirad S, Farajpoor T, and Ghanbari MR (Iran)	323
--	-----

<i>Solution Properties of Three Polyzwitterions Based on Poly(N-vinylimidazole)</i> Racovita S, Vasiliu S, and Neagu V (Romania)	333
<i>Synthesis and Optimization of a Four-component Acrylic-based Copolymer as Pressure Sensitive Adhesive</i> Taghizadeh SM and Ghasemi D (Iran)	343
<i>Effect of Sample Preparation on Water Tree Resistance of XLPE/SEBS Blends</i> Ma Z, Wang G, Liu F, and Jiang P (P.R. China)	353
<i>Bitumen Modification with Polysulphide Polymer Prepared from Heavy End Waste</i> Shirkavand Hadavand B (Iran)	363
<i>Theoretical Description of Hydrogel Swelling: A Review</i> Ganji F, Vasheghani-Farahani S, and Vasheghani-Farahani E (Iran)	375
Volume 19, Number 6, 2010	
<i>In Vitro and In Vivo Assays of Cartilage Repair by Perforated Polyurethane Scaffold</i> Amanpour S, Solouk A, Mirzadeh H, Mohagheghi M-A, Rabbani S, and Tirgari F (Iran)	403
<i>Study of Carboxymethyl Chitosan-based Polyampholyte Superabsorbent Polymer (Part II): Investigating the State of Water in CMCTS-g-(PAA-co-PTMAAC) Hydrogel</i> Yu C, Liu Y-F, Tang H-L, and Tan H-M (P.R. China)	417
<i>Effect of Moisture on Mechanical Properties and Adhesion of Nylon 6 and 66 Cords/RFL/Rubber Systems</i> Ramazani S (Iran)	427
<i>Fabrication of Biodegradable Poly(<i>d,l</i>-lactide-co-glycolide) Nanoparticles Containing Tamoxifen Citrate</i> Mirzajani F, Rafati H, and Atyabi F (Iran)	437
<i>Synthesis of Amphiphilic Polysiloxanes Modified with Multi-cationic Groups to Improve Wettability of Polyester Materials</i> Xie K-L, Hu K, and Chen Y (P.R. China)	447
<i>A Nanofibrous Composite Scaffold of PCL/Hydroxyapatite-chitosan/PVA Prepared by Electrospinning</i> Zargarian SS and Haddadi-Asl V (Iran)	457
<i>Curing Behaviour of Polycyanate Ester/o-Cresol Formaldehyde Epoxy Resin Composite System</i> Pi P, Lin W, Zheng D, Wang Z, Wen X, Cheng J, and Yang Z (P.R. China)	469
Volume 19, Number 7, 2010	
<i>Selective Separation of PVC from PET/PVC Mixture Using Floatation by Tannic Acid Depressant</i> Abbasi M, Salarirad MM, and Ghasemi I (Iran)	483
<i>Synthesis and Characterization of New Fluorescent Polymerizable Dyes Based on Naphthalimide</i> Soltani Panah H, Khosravi A, Gharanjig K, Khorassani M, Khatib Zadeh M, and Afshar Taromi F (Iran)	491
<i>Effects of Polyethylene-g-maleic Anhydride on Properties of Low Density Polyethylene/Thermoplastic Sago Starch Reinforced Kenaf Fibre Composites</i> Abdul Majid R, Ismail H, and Mat Taib R (Malaysia)	501
<i>Optimized Synthesis of Lignosulphonate-g-poly(acrylic acid-co-acrylamide) Superabsorbent Hydrogel Based on the Taguchi Method</i> Wu Y, Zhou J, Ye C, Sun H, and Zhao R (P.R. China)	511

<i>PET-based Nanocomposites Made by Reactive and Remodified Clays</i> Tarameshlou M, Jafari SH, Khonakdar HA, Fakhavar A, and Farmahini-Farahani M (Iran)	521
<i>A Sustained Release of Model Drug from a Novel Polyacrylic Acid-polyaluminium Chloride Superabsorbent</i> Chen Y, Liang Y, Chen N, Guo Y-W, Ye Y-C, and Tan H-M (P.R. China)	531
<i>Removal of Eosin Y, an Anionic Dye, from Aqueous Solutions Using Conducting Electroactive Polymers</i> Ansari R and Mosayebzadeh Z (Iran)	541
<i>Performance of PVDF/Multi-nanoparticles Composite Hollow Fibre Ultrafiltration Membranes</i> Han L-F, Xu Z-L, Yu L-Y, Wei Y-M, and Cao Y (P.R. China)	553
Volume 19, Number 8, 2010	
<i>CMC/Celite Superabsorbent Composites: Effect of Reaction Variables on Saline-absorbency under Load</i> Pourjavadi A, Soleyman R, Ghasemzadeh H, and Salimi H (Iran)	571
<i>Phase Diagram Calculations of Water/Tetrahydrofuran/Poly(vinyl chloride) Ternary System Based on a Compressible Regular Solution Model</i> Maghsoud Z, Navid Famili MH, and Madaeni SS (Iran)	581
<i>Branching Copolymerization of Styrene and Methyl Methacrylate with Divinylbenzene</i> Huang W-Y, Li D, Jiang B-B, Zhang D-L, Yang Y, Chen J-H, Zhai G-Q, Kong L, Liu C-L, Gong F-H, and Lu A-Q (P.R. China)	589
<i>Simulation and Experimental Evaluation of Initiator and Surfactant Concentrations and Temperature Effects on Styrene Conversion and Polymer Particle Size Distribution in Batch Emulsion Polymerization</i> Abedini H and Shahrokh M (Iran)	599
<i>Tailoring Size of α-Al₂O₃ Nanopowders via Polymeric Gel-net Method</i> Amirshaghagh A and Kokabi M (Iran)	615
<i>Structure and Miscibility of Tussah Silk Fibroin/Carboxymethyl Chitosan Blend Films</i> He J-X, Wang Y, Cui S-Z, Gao Y-Y, and Wang S-Y (P.R. China)	625
<i>Synthesis, Characterization, Metal Ion Binding Capacities and Applications of a Terpolymer Resin of Anthranilic acid/Salicylic acid/Formaldehyde</i> Riswan Ahamed MA, Azarudeen RS, Karunakaran M, and Burkanudeen AR (India)	635
Volume 19, Number 9, 2010	
<i>Synthesis, Characterization and Non-linear Optical Properties of Polyimide and Polyimide/Silica Hybrid Materials</i> Wu G, Yao C, and Qiu F (P.R. China)	651
<i>Curing Kinetics of DGEBA/UF Resin System Used as Laminates in Impregnated Decorative Paper</i> Ghaemy M, Sarrafi Y, and Karimi M (Iran)	661
<i>Properties of Epoxy Resins Modified with Liquid Crystalline Polyurethane</i> Lu S, Ban J, Yu C, and Deng W (P.R. China)	669
<i>Highly Active FI Catalyst of Bis[N-(3,5-dicumylsalicylidene) cyclohexylaminato]zirconium(IV) Dichloride for Polymerization of Ethylene</i> Zohuri GH, Damavandi S, Sandaroos R, Ahmadjo S (Iran)	679

<i>A Novel Temperature- and pH-responsive Polymer-biomolecule Conjugate Composed of Casein and Poly(N-isopropylacrylamide)</i> Cao Z, Jin Y, Zhang B, Miao Q, and Ma C (P.R. China)	689
<i>Water-soluble Aniline/o-Anisidine Copolymer: Enzymatic Synthesis and Characterization</i> Nabid MR, Zamiraei Z, and Sedghi R (Iran)	699
<i>Synthesis of High Solid Content Polyacrylate/Nanosilica Latexes via Miniemulsion Polymerization</i> Pishvaei M and Farshchi Tabrizi F (Iran)	707
<i>Novel Functional Polymer Sorbent for Adsorption of Uranyl Ions from Aqueous Solutions</i> Akperov OH, Maharramov AM, Akperov EO, and Kadimova HA (Republic of Azerbaijan)	717
Volume 19, Number 10, 2010	
<i>Curing Kinetics and Thermal Properties of Liquid Crystalline p-PEPB/Bisphenol-A Epoxy/Diamine System</i> Gao JG, Zhang X, and Huo L (P.R. China)	731
<i>Particle Size and Distribution Modelling of Nanohydroxyapatite-in-gelatin Nanocomposite Microspheres by Surface Response Method</i> Bagheri-Khoulenjani S, Etrati-Khosroshahi M, and Mirzadeh H (Iran)	743
<i>Rheological Characteristics of Sulphonated Polyacrylamide/Chromium Triacetate Hydrogels Designed for Water Shut-off</i> Dadvand Koohi A, Vafaei Seftie M, Zarrin Ghalam A, Mousavi Moghadam A, and Zanjani Sabet S (Iran)	757
<i>Preparation and Properties of Isobutylene-isoprene Rubber Containing Multifunctional Groups</i> Dong XC, Zhang QL, Feng Y, Xing Z, and Zhao JR (P.R. China)	771
<i>Emulsion Copolymerization of Butyl Acrylate and Glycidyl Methacrylate: Determination of Monomer Reactivity Ratios</i> Bakhshi H, Zohuriaan-Mehr MJ, Bouhendi H, and Kabiri K (Iran)	781
<i>Blends of Polypropylene and Hyperbranched Poly(phenylene sulphide) for Production of Dyeable PP Fibres</i> Yan H and Chen Y (P.R. China)	791
<i>Synthesis of Diacetone Acrylamide Monomer and the Film Properties of Its Copolymers</i> Tale NV and Jagtap RN (India)	801
<i>Interfacial Behaviour of Wood Plastic Composite: Effect of Chemical Treatment on Wood Fibres</i> Ghasemi I and Farsi M (Iran)	811
Volume 19, Number 11, 2010	
<i>Opto-electronic Polymer Thin Films Deposited by Glow Discharge Plasma Technique: A Review</i> Zhao X-Y (P.R. China)	823
<i>Rheological Behaviour of Polyacrylonitrile in an Ionic Liquid Solution</i> Yang T, Yao Y, Lin Y, Wang B, Niu A, and Wu D (P.R. China)	843
<i>Mechanical and Morphological Properties of Short Nylon Fibre Reinforced NR/SBR Composites: Optimization of Interfacial Bonding Agent</i> Soltani S, Naderi G, and Ghoreishy MHR (Iran)	853

<i>Preparation of Micro-porous Polyethersulphone Hollow Fibre Membranes Using Non-solvent Vapour-induced Phase Separation</i> Chen G-E, Li J-F, Han L-F, Xu Z-L, and Yu L-Y (P.R. China)	863
<i>Synthesis and Properties of New Heat-resistant Pyridine-based Polyimides Containing Preformed Amide Units</i> Taremi F, Mehdipour-Ataei S, and Mahmoudi A (Iran)	875
<i>Process Optimization of Poly(ϵ-caprolactone) Synthesis by Ring Opening Polymerization</i> Lipik VT and Abadie MJM (Singapore & France)	885
<i>Kinetics of Slurry and Gas Phase Polymerizations of Ethylene Using a Novel Heterogeneous Ziegler-Natta Catalyst of Specific Morphology</i> Naderpour N, Vasheghani-Farahani E, Navid Famili MH, and Vatankhah M (Iran)	895
Volume 19, Number 12, 2010	
<i>Efficient Removal of Cr³⁺, Pb²⁺ and Hg²⁺ Ions from Industrial Effluents by Hydrolyzed/Thioamidated Polyacrylonitrile Fibres</i> Bagheri B, Abdouss M, Mohammadi Aslzadeh M, and Mousavi Shoushtari A (Iran)	911
<i>Polypropylene Chain Structure Regulation by Alkoxysilane and Ether Type External Donors in TiCl₄/DIBP/MgCl₂-AlEt₃ Ziegler-Natta Catalyst</i> Lou J, Tu S, and Fan Z (P.R. China)	927
<i>Preparation, Characterization and Properties of Polystyrene Composites Using Octaphenyl Polyhedral Oligomeric Silsesquioxane and Its Bromide Derivative</i> Liu L, Hu Y, Song L, Gu X, and Ni Z (P.R. China)	937
<i>Structure and Properties of Novel Cellulose Fibres Produced From NaOH/PEG-treated Cotton Linters</i> Zhang S, Li F-X, and Yu J-Y (P.R. China)	949
<i>Effect of Ammonium Pentaborate on Cure Kinetics of Phenol Formaldehyde Resin in Presence of Wood</i> Gao W, Cao J, and Li J (P.R. China)	959
<i>Synthesis of Alternate-block Copolymers of Poly (2,5-dioctyloxy phenylene vinylene)s with Varying Positional Naphthalene Moieties</i> Sannasi V, Manikandan P, Gnana Sundararaj B, Vijayan M, and Jeyakumar D (India)	969
<i>High Performance Polymers in Ionic Liquids: A Review on Prospects for Green Polymer Chemistry. Part I: Polyamides</i> Mallakpour S and Dinari M (Iran)	983